

HEALTH SECTOR DISTRICT HEADQUARTERS HOSPITAL

REQUIREMENTS ARE BASED ON STANDARDS GIVEN IN THE

NATIONAL REFERENCE MANUAL ON PLANNING & INFRASTRUCTURE STANDARDS



STAFE

Total

HEALTH FACILITIES

DISTRICT HEADQUARTER HOSPITAL (250 BEDS) – REQUIREMENTS/COST


31	INO.				
•	Specialists	15			
•	Doctors	30			
•	Dental Surgeon	04			
•	Nurses	50			
•	Lady health Visitors				
•	Midwives/ Maids				
•	Physiotherapist	01			
•	Dispensers	06			
•	Radiographers	06			
•	Pharmacists	04			
•	Technicians	39			
	Total Staff	247			
Distribution of 250 beds					
Int	50				
Ge	50				
Pe	40				
Ey	40				
Ok	30				
De	10				
Ps	20				
lso	10				

<mark>No.</mark> 15		Departments	Areas
30 04 50 06 86	1.	 ADMINISTRATION SERVICES General Administration Main Entrance Accommodation Medical Records 	5,630 SFT
01 06 06 04 39 247	2.	 INPATIENT SERVICES General Acute Wards Children Wards Maternity Department Isolation Beds 	31,775 SFT
50 50	3.	 MAIN OPERATING FACILITIES Operation Suits and related Rooms 	7,060 SFT
40 40 30 10 20 10 250	4.	 DIAGNOSTIC AND TREATMENT X-ray department Pathology Department Mortuary Rooms Department of Physical Medicine Medical Photography 	8,400 SFT



DISTRICT HEADQUARTER HOSPITAL (250 BEDS) - REQUIREMENTS

Departments		Areas	Departments	Areas
5.	 OVT PATIENT SERVICES OPD (Consulting Suite) OPD (Operation Theater Suite) OPD (Day Ward) OPD (Dental Suite) 	5,255 SFT ite)	 9. PSYCHIATRIC PATIENT DEPARTMENT Short Stay Psychiatric Unit Treatment Centre Psychiatric Ward Rehabilitation centre 	4775 SFT
6.	 EMERGENCY DEPARTMENT Minor Operation Suits Recovery & Short Stay Suite Orthopedic and fracture Cline Departmental Accommodat 	nic	Total Net AreaCirculation Space + WallGRAND TOTAL AREA=	84,000 SFT 30,000 SFT 114,000 SFT
7.	 SERVICE FACILITIES Pharmacy Department Central Sterile Supply depa Central Kitchen Laundry 	7,250 SFT rtment		
8.	• Dining / Changing Rooms	2,100 SFT		



COVERED AREA = 39000 sqft.



FIRST FLOOR PLAN COVERED AREA = 37500 Soft.



- 1. Seismic parameters
- 2. User requirement
- 3. Site parameters

